



**TREZOR TEST s.r.o.**  
**Na Vršku 67, 250 67 Klecany**

CERTIFIKAČNÍ ORGÁN č. 3025  
AKREDITOVANÝ ČESKÝM  
INSTITUTEM PRO AKREDITACI, o.p.s.

# CERTIFIKÁT SHODY

Evidenční číslo: TT – 390/2020

pro

**Iseo Deutschland GmbH**  
**Wiesestrasse 190, D-07548 Gera, Německo**

**NA VÝROBEK (identifikace):** Cylindrická vložka ISEO typ F6 Extra  
výrobce ISEO SERRATURE S.p.A.  
Via San Girolamo 13  
25055 Pisogne (BS), Italy  
CZ-CPA 25.72.12

**KLASIFIKACE (výrobku):** Předmětný výrobek je dle certifikačního schématu 1a ČSN EN ISO/IEC  
17067:2014

ve shodě s požadavky kladenými na

## uzamykací systém typ 2

odolnost proti nedestruktivní metodě „BUMPINGU“ nebyla hodnocena  
podle Přílohy č. 1 kap. 2.2 k vyhlášce č. 528/2005 Sb.  
určený pro otvorové výplně v RC 3 podle ČSN EN 1627: 2012

Certifikát je vydán v rozsahu akreditace udělené osvědčením č. 329/2019 vydaným ČIA  
dne 28. června 2019 na základě certifikačního protokolu č. C 216/2020.

Předseda Certifikační rady COV č. 3025  
Ing. Ladislav POLÁK

Místopředseda Certifikační rady COV č. 3025  
Ing. Daniela ČÍŽKOVÁ



Datum vydání: 12. 11. 2020  
Datum udělení certifikace: 12. 11. 2020  
Datum ukončení platnosti certifikace: 12. 11. 2023

Tento certifikát shody se smí používat a rozmnožovat pouze nezměněn.



**TREZOR TEST s. r. o.**  
**Na Vršku 67, Klecany**

CERTIFICATION BODY No. 3025  
ACCREDITED BY  
THE CZECH ACCREDITATION INSTITUTE

## CERTIFICATE OF CONFORMITY

**Registration number: TT – 390/2020**  
for

**Iseo Deutschland GmbH**  
**Wiesestrasse 190, D-07548 Gera, Německo**

**PRODUCT** Security Cylinders for locks type F6 Extra  
manufacturer ISEO SERRATURE S.p.A.  
Via San Girolamo 13  
25055 Pisogne (BS), Italy  
CZ-CPA 25.72.12

**CLASSIFICATION** The product is in accordance with the certification schema 1a of EN ISO/IEC 17067:2013

in accordance with the requirements for the

## locking system type 2

**resistance to the non-destructive bumping method has not been evaluated**  
**according to Annex no. 1, chap. 2.2 to the Decree no. 528/2005 Col.**  
*intended usage for shutters in Resistance class RC 3*  
*according to EN 1627:2011*

The certificate is issued on the basis of certification report no. C 216/2020  
within the accreditation according to the certificate no. 329/2019 of 28<sup>th</sup> June 2019  
issued by the Czech Accreditation Institute.

Chairman of the Certification board  
CB No. 3025  
Ing. Ladislav POLÁK

Deputy chairman of the Certification board  
CB No. 3025  
Ing. Daniela ČÍŽKOVÁ

Date of publication: 12.11.2020  
Certification date: 12.11.2020  
Certification expiration date: 12.11.2023



This certificate can be used and duplicated only unchanged and with all enclosures.

# SKG-IKOB PRODUCTCERTIFICATE

## 428.312.06

Date of issue: 30-08-2017



### Certificate holder

Iseo Serrature SpA  
Via San Girolamo 13  
I-25055 Pisogne  
T: +39 0364 8821  
E: [iseo@iseo.com](mailto:iseo@iseo.com)  
I: [www.iseo.com](http://www.iseo.com)



### Declaration of SKG-IKOB

This certificate has been issued on the basis of BRL 3104 in accordance with the SKG-IKOB Regulations for Attestation, Certification and Inspection.

SKG-IKOB declares that the by or on behalf of the certificate owner produced building hardware product:

#### euro profile cylinder with non lockable knob

delivered under logo / brand:

#### ISEO / sapa

delivered under type- and / or article number:

#### F6 Extra / F99 - SKG knob

meets class 2 STER according BRL 3104 and NEN 5089: 2009 if the product is indelibly marked with the SKG mark, as shown above.

For SKG-IKOB

A handwritten signature in blue ink, consisting of a stylized, cursive script.

ir. H.A.J. van Dartel  
Certification manager

Verify at [www.sterrenwijzer.nl](http://www.sterrenwijzer.nl) if this certificate is still valid and actual.  
This certificate contains 2 pages.

CERTIFICATE

SKG-IKOB Certificatie  
Poppenbouwing 56  
4191 NZ Geldermalsen

Postbus 202  
4190 CE Geldermalsen

T 088-2440100  
[info@skgikob.nl](mailto:info@skgikob.nl)  
[www.skgikob.nl](http://www.skgikob.nl)

# SKG-IKOB PRODUCTCERTIFICATE

Iseo Serrature SpA  
Number: 428.312.06

page 2 of 2

## 1. PRODUCT

euro profile cylinder with non lockable knob

## PRODUCT TYPE

cylinder

---

## 2. TECHNICAL SPECIFICATION

Operating:	Mechanical operation
Construction:	double, with knob
System:	vertical key profile; 1 row of 6 mechanical operated retainers w/wo 2 tot 5 side retainers
Material:	cylinder body: brass with various coatings
Dimension:	17 mm profile from 30 mm in various extensions per 5 mm
Fixing:	1 steel bolt M5, length $\geq$ backset + 10 mm
Intended use:	in combination with cylinder mortice locks and security furniture Pay Attention! This cylinder achieves only the SKG-star rating if a door element (including side window), wherein at least P4A glass has been applied, OR in a door element (including side window) with a section filling without a view on the knob. A wooden door element (including side window) with a view to the "standard" turning knob, should be provided with a SKG (V) certified anti-drill / manipulation device.

---

## 3. DELIVERY

The delivery includes an installation instruction:  
KW13390

---

## 4. PERFORMANCES

A euro profile cylinder with non lockable knob according this certificate fulfils the relevant requirements of BRL 3104.

A window- or door set, in which this euro profile cylinder, with non lockable knob is installed according the installation instructions of the certificate holder meets at least burglar resistance class (RC) 2 of NEN 5096 and EN 1627, if:

- the façade element or the (profile-)system from which the element is manufactured is delivered under a (KOMO-)quality approval with respect to the aspect burglar resistance, in which the actual window or door type is admitted and the herein mentioned conditions are fulfilled.

A window or door, in existing buildings, in which this euro profile cylinder, with non lockable knob is installed according the installation instructions of the certificate holder, meets the requirements of the Police Mark Save Housing (PKVW) - Existing Building, if:

- the other aspects of the façade element also comply with the applicable PKVW Protection directive (publication CCV).
-



**ICIM**

# Certificazione di Prodotto

## Product Certification

Certificato N. **020AC/3**  
Certificate No.

ALL'AZIENDA / TO THE FIRM

**ISEO SERRATURE S.p.A.**

Via San Girolamo, 13 - 25055 PISOONE (BS)

UNITÀ OPERATIVE / OPERATIVES UNITS

PER I SEGUENTI PRODOTTI / FOR THE FOLLOWING PRODUCTS

**CILINDRI PER SERRATURE**  
**LOCKS CYLINDER**

CON DENOMINAZIONE COMMERCIALE / WITH TRADE NAME/S

**Serie F6** **Art. 81\*\*\*\*\***  
**Serie F6 Modulare** **Art. 81\*\*\*\*\*M**

CONFORMEMENTE ALLA NORMA ED AL DOCUMENTO NORMATIVO ICIM  
IN COMPLIANCE WITH THE STANDARD AND WITH ICIM NORMATIVE DOCUMENT

**EN 1303:15 – ICIM 0039CS**

CON CLASSIFICAZIONE / WITH CLASSIFICATION

1	6	0	B	0	C	6	0
---	---	---	---	---	---	---	---

CON DENOMINAZIONE COMMERCIALE / WITH TRADE NAME/S

**Serie F6 Extra, F6 Extra S** **Art. 82F6\*\*\*\*\***  
**Serie F6 Extra F6 Extra S Modulare** **Art. 8MF6\*\*\*\*\***

CONFORMEMENTE ALLA NORMA ED AL DOCUMENTO NORMATIVO ICIM  
IN COMPLIANCE WITH THE STANDARD AND WITH ICIM NORMATIVE DOCUMENT

**EN 1303:15 – ICIM 0039CS**

CON CLASSIFICAZIONE / WITH CLASSIFICATION

1	6	0	B	0	C	5	D
---	---	---	---	---	---	---	---

Vincenzo Delacqua  
Rappresentante Direzione / Management Representative

**ICIM S.p.A.**

PRIMA EMISSIONE  
FIRST ISSUE

**05/09/2013**

EMISSIONE CORRENTE  
CURRENT ISSUE

**05/09/2022**

DATA DI SCADENZA  
EXPIRING DATE

**04/09/2025**

# Kitemark™ Certificate

This is to certify that:

ISEO Serrature SpA  
Via San Girolamo, 13  
Pisogne  
Brescia  
25055  
Italy

Holds Certificate Number:

KM 544418

In respect of:

**TS007-1**

**Enhanced security performance requirements for replacement cylinders and/or associated hardware**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2009-07-20

Latest Issue: 2022-09-14

Effective Date: 2022-09-14

Expiry Date: 2024-01-20



Page: 1 of 7

# Kitemark™ Certificate

No. KM 544418

## TS007-1:2014+A2:2018 - Enhanced security performance requirements for replacement cylinders and/or associated security hardware

**Table 1: Product identification table of Products Covered by Certificate  
(to be read in conjunction with Tables 2 and 3)**

No	Description	Additional Information	Model	Branded
1	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: F6 Extra	<ul style="list-style-type: none"><li>• ISEO</li><li>• SAPA</li><li>• BS HS High Security Cylinder</li></ul>
2	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: F6 Extra S	<ul style="list-style-type: none"><li>• ISEO</li><li>• SAPA</li><li>• BS HS High Security Cylinder</li></ul>
3	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: R7 Extra	<ul style="list-style-type: none"><li>• ISEO</li></ul>
4	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: R50 Extra	<ul style="list-style-type: none"><li>• ISEO</li></ul>
5	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: R50 CS1	<ul style="list-style-type: none"><li>• ISEO</li></ul>
6	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: R11	<ul style="list-style-type: none"><li>• ISEO</li></ul>
7	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: R11 Progress	<ul style="list-style-type: none"><li>• ISEO</li></ul>
8	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: CSR R90	<ul style="list-style-type: none"><li>• ISEO</li></ul>
9	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: CSR R9	<ul style="list-style-type: none"><li>• ISEO</li></ul>

First Issued: 2009-07-20

Effective Date: 2022-09-14

Latest Issue: 2022-09-14

Expiry Date: 2024-01-20

Page: 2 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 544418

## TS007-1:2014+A2:2018 - Enhanced security performance requirements for replacement cylinders and/or associated security hardware

**Table 1 (continued): Product identification table of Products Covered by Certificate (to be read in conjunction with Tables 2 and 3)**

No	Description	Additional Information	Model	Branded
10	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: CSR R9 Plus	<ul style="list-style-type: none"><li>• ISEO</li></ul>
11	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: R500 SPI	<ul style="list-style-type: none"><li>• ISEO</li></ul>
12	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	1 star rated cylinder, model: CSF F90 SPI	<ul style="list-style-type: none"><li>• ISEO</li></ul>
13	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	3 star rated cylinder, model: F6 Extra S3	<ul style="list-style-type: none"><li>• ISEO</li><li>• SAPA</li><li>• BS HS High Security Cylinder</li></ul>
14	Cylinder	Euro profile cylinder including double key, single key option and thumbturn options	3 star rated cylinder, model: R700 S3	<ul style="list-style-type: none"><li>• ISEO</li></ul>
<b>Note 1:</b>	All cylinder types have met the general vulnerability requirements outlined within clause 4.2 of TS007-1.			
<b>Note 2:</b>	Keyed alike and Master Key versions available which should comply with the scheme requirements as detailed within the section entitled: 'additional information'.			
<b>Note 3:</b>	Cylinders 1 - 10 covered under the scope of this Certificate can be offered in a modular format in addition to the existing standard variant.			
<b>Note 4:</b>	Cylinders 11 - 12 covered under the scope of this Certificate can be offered in a compact version only.			

First Issued: 2009-07-20

Latest Issue: 2022-09-14

Effective Date: 2022-09-14

Expiry Date: 2024-01-20

Page: 3 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 544418

**TS007-1:2014+A2:2018 - Enhanced security performance requirements for replacement cylinders and/or associated security hardware**

<b>Table 2: Classification Table of Products Covered by Certificate In accordance with BS EN 1303 (to be read in conjunction with Tables 1 and 3)</b>								
<b>Minimum classification from EN 1303 required:</b>								<b>Cylinder models: 1 - 14</b>
<b>1</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>C</b>	<b>5</b>	<b>D*</b>	Achieved (Note 4 applies)
<b>Note 4:</b>			Cylinder(s) detailed in table 1 have achieved at least the minimum requirements against EN 1303:2015 as specified in clause 4.2 of TS007-1 (*) and at least the minimum requirements for 'Attack Resistance' as also stated in clause 4.2 of TS007-1 (without the use of furniture) as indicated in this table.					

First Issued: 2009-07-20  
Latest Issue: 2022-09-14

Effective Date: 2022-09-14  
Expiry Date: 2024-01-20

Page: 4 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 544418

## TS007-1:2014+A2:2018 - Enhanced security performance requirements for replacement cylinders and/or associated security hardware

<b>Table 3: Requirements for Cylinders and/or Security Hardware in line with TS007-1 (to be read in conjunction with Tables 1 and 2)</b>		
<b>Requirements in BS 3621</b>	<b>Cylinder models: 1 - 12</b>	<b>Cylinder model: 13 - 14</b>
Annex A clause A5 of BS 3621 as per clause 4.2 of TS007-1.	Achieved	Achieved
Annex A clause A6 of BS 3621 as per clause 4.2 of TS007-1.	Achieved	Achieved
Testing in accordance with PAS 24 – Security hardware and cylinder test assessment as per clause 4.4 of TS007-1.	n/a Note 5 applies	Achieved Note 6 applies
<b>Note 5:</b>	This cylinder(s) offers resistance to many types of attack. It is designed to be used in conjunction with 2 two-star security door hardware to ensure enhanced resistance to all commonly used attack methods. Therefore, this product <b>MUST</b> be used in conjunction with two-star security door hardware meeting TS007-1 to ensure security.	
<b>Note 6:</b>	This cylinder offers resistance to the commonly used types of attack. No specific security hardware is required but installing this three-star cylinder in conjunction with security hardware complying with TS007-1 will increase attack resistance still further.	

### Additional Information

To satisfy the requirements for Kitemark under this scheme for a 'master key' system, this should not reduce the available combinations below the EN 1303 requirements and the stipulations detailed within BS 3621/BS 8621/BS 10621 and are only covered as a finished product, produced at the designated factory, covered by the Kitemark Certificate. In addition, a master keyed suite should also be designed so as not to compromise any anti-manipulation arrangements.

First Issued: 2009-07-20

Latest Issue: 2022-09-14

Effective Date: 2022-09-14

Expiry Date: 2024-01-20

Page: 5 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 544418

**TS007-1:2014+A2:2018 - Enhanced security performance requirements for replacement cylinders and/or associated security hardware**

## Further manufacturing location:

Cylinder types: F6 Extra, F6 Extra S, R11, R50 Extra, R50 CS1, R700 S3 and F6 Extra S3 including modular variants.

M Marcus Limited  
Unit 7  
Narrowboat Way  
Dudley  
DY2 0XQ  
United Kingdom

Limited manufacturing activities covering pinning, repinning and master keying.



First Issued: 2009-07-20

Latest Issue: 2022-09-14

Effective Date: 2022-09-14

Expiry Date: 2024-01-20

Page: 6 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 544418

## Location

ISEO Serrature SpA  
Via San Girolamo, 13  
Pisogne  
Brescia  
25055  
Italy

## Certified Activities

Enhanced security performance requirements for replacement cylinders and/or associated hardware

M Marcus Limited  
Unit 7  
Narrowboat Way  
Dudley  
DY2 0XQ  
United Kingdom

Enhanced security performance requirements for replacement cylinders and/or associated hardware

Iseo Deutschland GmbH  
Wiesestraße 190  
Gera  
07548  
Germany

Enhanced security performance requirements for replacement cylinders and/or associated hardware

First Issued: 2009-07-20  
Latest Issue: 2022-09-14

Effective Date: 2022-09-14  
Expiry Date: 2024-01-20

Page: 7 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

## DICHIARAZIONE DI CONFORMITÀ N° 30 Rev.0 "BUMP RESISTANT"



La ditta:

**ISEO Serrature S.p.A.**

Via S. Girolamo, 13  
25055 - Pisogne - BS  
Italy

dichiara sotto la propria responsabilità che i cilindri delle seguenti serie

**"F6 Extra", "F6 Extra S"  
"R7", "R11", "R50"  
" CSR R9", "CSR R9 Plus" e "CSR R90"**

sono resistenti alle tecniche di effrazione denominate

**"PICKING" e "BUMPING"**

Questi cilindri sono classificati "KITEMARK 1 Star", Licenza Kitemark N° 544418.

Questi cilindri sono conformi alla Norma BSI BS3621:2007 ed alla Specifica Tecnica DHF TS007:2014.

La Norma BSI BS3621:2007, in aggiunta ai requisiti prevista dalla Norma Europea EN1303:2005, verifica la resistenza all'effrazione dei cilindri eseguendo una prova di attacco nella quale vengono applicate diverse tecniche per una durata complessiva di 15 minuti.

La prova viene eseguita su 3 diversi cilindri, da 3 esperti serraturieri della "Master Locksmith Association". La prova viene ripetuta ogni 6 mesi su cilindri prelevati dall'Ente Notificato BSI nel magazzino della Iseo Serrature S.p.A.

Organismo di certificazione: .....

**BSI**  
**Kitemark Court, Davy Avenue,**  
**Knowlhill, Milton Keynes MK5 8PP**

Luogo ..... Pisogne  
(Place)

Prima emissione ..... 28.05.2014  
(First issue)

Emissione corrente ..... 28.05.2014  
(Corrent issue)

Nome in chiaro (Name)

EVARISTO FACCHINETTI

Amministratore delegato (Managing Director)

Firma ..... 



**Łukasiewicz**  
Instytut  
Mechaniki  
Precyzyjnej

Sieć Badawcza Łukasiewicz  
**INSTYTUT MECHANIKI PRECYZYJNEJ**  
**Dział Certyfikacji**

01-796 Warszawa, ul. Duchnicka 3

e-mail: [certyfikacja.imp@imp.lukasiewicz.gov.pl](mailto:certyfikacja.imp@imp.lukasiewicz.gov.pl)  
<http://www.imp.edu.pl>



AC 041

**CERTYFIKAT ZGODNOŚCI**  
**Nr P41/086/2022 (8533)**

Nazwa i adres posiadacza certyfikatu:

**ISEO SERRATURE S.p.A.**  
**Via San Girolamo 13, I-25055 Pisogne (BS) Włochy**

Nazwa i adres producenta:

**ISEO SERRATURE S.p.A.**  
**Via San Girolamo 13, I-25055 Pisogne (BS) Włochy**

Nazwa wyrobu:

**Wkładka bębnekowa profilowa**

Typ (odmiany):

**F6 Extra (82F6), F6 Extra S (82F6...A)**

Podstawowe parametry:

**Klasa zabezpieczenia: - 6 - wg PN-EN 1303:2015-07**

Kategoria użytkowania	Trwałość	Masa drzwi	Odporność ogniowa	Bezpieczeństwo	Odporność na korozję i temperaturę	Zabezpieczenie związane z kluczem	Odporność na atak
<b>1</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>B</b>	<b>6</b>	<b>D</b>

**Klasa odporności na włamanie: - C - wg KT/402/IMP/2014, lipiec 2014r., wyd. 4;**

Wyrób spełnia wymagania zawarte :

**PN-EN 1303:2015-07, KT/402/IMP/2014, lipiec 2014r., wyd. 4**

Data ważności certyfikatu: **30 maja 2025 roku**

Niniejszy certyfikat jest ważny w okresie od 31 maja 2022r. do 30 maja 2025r. pod warunkiem, że ważna jest specyfikacja techniczna, wyrób spełnia jej wymagania oraz nie uległy istotnym zmianom: typ wyrobu, system, warunki i miejsce produkcji.

Certyfikacja zgodności wyrobów Typ „3” wg PN-EN ISO/IEC 17067: 2014-01  
Dobrowolny certyfikat zgodności wystawiony w ramach programu PC-03(IMP)

Numer identyfikacyjny procesu: 041/W/2022

**KIEROWNIK  
DZIAŁU CERTYFIKACJI**

mgr inż. Marek ZIĘTAŁA



**Z-CA DYREKTORA ds. BADAWCZYCH**

dr Lech KWIATKOWSKI

*Certyfikat może być publikowany bez komentarzy, skrótów i zmian.*  
**Warszawa, dnia 31 maja 2022r.**

Ważność niniejszego certyfikatu może być potwierdzona pod numerami telefonów: 22 663-43-24, 22 560-28-00

Sieć Badawcza Łukasiewicz-Instytut Mechaniki Precyzyjnej

Formularz F-2.2.1, edycja 8, 03-01-2022 r.